U.S. Fish & Wildlife Service

## **Little River**

 $National Wildlife \ Refuge$ 



Welcome to Birding at Little River National Wildlife Refuge Little River National Wildlife
Refuge was established on February
10, 1987 to protect the largest
remaining tract of bottomland
hardwood forest in the state of
Oklahoma. Currently it comprises
15,000 acres. The bottomland
hardwood forest on the refuge is
dissected by an intricate system of
creeks, sloughs and oxbow lakes that
creates a dynamic wetland forest
environment extremely rich in
wildlife abundance and diversity.

The refuge supports a large diversity of bird species that use the wetland forests as a place to nest and forage. The refuge is home to over 191 species of birds that spend all or part of the year here. The most colorful and abundant species present from spring to fall are the neotropical migrant songbirds. These birds utilize the diverse habitats on the refuge as migratory stopover sites and to nest and raise their young. Birders might view or hear the rare Swainson's warbler among the many birds on the refuge. This forest is one of the few known nesting locations in Oklahoma for this secretive songbird that winters in the Carribbean. The large cypress trees, found along the sloughs and oxbow lakes, provide nesting habitat for great blue herons and egrets during spring and summer. The refuge also serves as the only Oklahoma destination for viewing nesting anhingas.

The checklist that follows is based on refuge observations and studies reported since 1941. Help us expand our list. If you see an unlisted or rare species during your visit, contact the Refuge Headquarters and provide a description and location of the observed bird. Birds do not recognize traditional calendar seasons, therefore, seasonal designations are intended as general guidelines. The 191 species are listed in accordance

with the 7th edition (1998) A.O.U. checklist and the 45<sup>th</sup> Supplement (July 2004). Eighty-five species have been documented as nesting on the refuge.



 $Great\ Egret\ with\ young.$  Photograph by Paul W. Bozzo/SDWI.net

How to use your checklist	Sy	mbols use	d in this list follow:			
Occurrence	Sp	Spring	March - May			
	S	Summer	June - July			
	F	Fall	August - November			
	W	Winter	December - February			
	*		Nesting species (85 species).			
	Ita	ulics	Federally endangered or threatened species.			
Abundance	A					
	С	Common	umerous species.			
		Likely to be seen or heard in suitable habitats.				
	U	Uncommon Present, not certain to be seen.				
	О					
	ъ	season.				
	R	Unexpected, seen at intervals				
	X	of 2 to 5 years. Accidental				
			an 3 records; vagrants heir usual range.			
Habitats	a	Upland o	ak-pine forest			
	b	Bottomla	and swamps oxbows			
	c	Rivers, s	treams, or shoreline			
	d	d Marshes				

Old clear cuts or brush

m Migrates overhead

 $\mathbf{f}$ 

Open grasslands or fields

Common Name		S	F	W	Hab.
Ducks, Geese, and Swans					
Greater White-fronted Goose	O		O	O	m
Snow Goose	0		O	O	m
Canada Goose	O		O	O	m
Wood Duck*	$\mathbf{C}$	U	$\mathbf{C}$		b,c,d
Gadwall	U		$\mathbf{C}$	С	b,c,d
American Wigeon	U		$\mathbf{C}$	С	b,c,d
Mallard	U		$\mathbf{C}$	С	b,c,d
Blue-winged Teal	U		U		b,c,d
Northern Shoveler	U		U	O	b,c,d
Northern Pintail	0		O	O	b,c,d
Green-winged Teal	U		U	U	b,c,d
Ring-necked Duck	O		O	O	c
Lesser Scaup	O		O	O	c
Bufflehead	O		O	O	c
Common Goldeneye	O		O	O	c
Hooded Merganser	U		U	U	b,c,d
Ruddy Duck	O		O	O	b,c,d
Turkeys					
Wild Turkey*	U	U	U	U	a,b,e,f
New World Quail					
Northern Bobwhite*	O	O	O	O	e,f
Grebes					
Pied-billed Grebe*	O		O	O	c
Pelicans					
American White Pelican	О		0		m



Common Name	Sp	S	F	w	Hab.
Cormorants					
Double-crested Cormorant	U		U	U	c
Anhingas					
Anhinga*	O	O	O		b,c,d
Herons, Bitterns, and Egrets					, ,
American Bittern	R		$\mathbf{R}$		d
Least Bittern	R		$\mathbf{R}$		d
Great Blue Heron*	С	$\mathbf{C}$	С	O	b,c,d
Great Egret*	U	U	U		b,c,d
Snowy Egret	O	O	O		b,d
Little Blue Heron*	U	U	U		b,d
Cattle Egret	U	U	U		b,c,d
Green Heron	U	U	U		b,d
Yellow-crowned Night-Heron	*0	O	O		b,c,d
lbis S					, ,
White-faced Ibis	R		$\mathbf{R}$		d
Vultures					
Black Vulture*	С	$\mathbf{C}$	С	С	a,b,f
Turkey Vulture*	С	$\mathbf{C}$	С	С	a,b,f
Hawks, Kites, Eagles, and Allies					
Osprey	O		O		c
Mississippi Kite*	U	U	U		a,b
Bald Eagle	O		O	O	c,e,f
Northern Harrier	R		$\mathbf{R}$		d,f
Sharp-shinned Hawk	U		U	U	a,b
Cooper's Hawk	U		U	U	a,b
Red-shouldered Hawk*	С	U	С	С	b
Broad-winged Hawk	O		O		a
Swainson's Hawk	0		O		m
Red-tailed Hawk*	U	U	U	U	a,b
Golden Eagle	O		O		m
Falcons					
American Kestrel	O	O	O	O	$\mathbf{f}$
Rails, Gallinules, and Coots					
Virginia Rail	R		$\mathbf{R}$	O	d
Sora	R		$\mathbf{R}$		d
American Coot	O		O	O	b,c,d
Plovers					
Killdeer*	U	U	U	O	d, $f$
Sandpipers and Allies					
Greater Yellowlegs	R		$\mathbf{R}$		d
Lesser Yellowlegs	R		$\mathbf{R}$		d
Solitary Sandpiper	R		$\mathbf{R}$		b,c,d
Spotted Sandpiper	R		$\mathbf{R}$		d
Least Sandpiper	R		$\mathbf{R}$		d
American Woodcock*	O	R	O	O	b,d,e,f
Gulls and Terns					
Franklin's Gull	O		O		m
Ring-billed Gull	O		O		m

Common Name	Sp	S	F	W	Hab.
Pigeons and Doves					
Mourning Dove*	U	U	U	U	e,f
Cuckoos and Roadrunners					ŕ
Black-billed Cuckoo	O		O		a,b
Yellow-billed Cuckoo*	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$		a,b
Typical Owls					
Eastern Screech-Owl*	O	O	O	O	a
Great Horned Owl*	O	O	O	O	a
Barred Owl*	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	С	a,b
Goatsuckers					
Common Nighthawk*	U	С	U		$\mathbf{f}$
Chuck-will's-widow*	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$		a,b
Swifts					
Chimney Swift*	U	U	U		a
Hummingbirds					
Ruby-throated Hummingbird*	$^{k}$ C	С	$\mathbf{C}$		a,b,e
Kingfishers					
Belted Kingfisher*	O	O	O	O	$_{\rm b,c}$
Woodpeckers					
Red-headed Woodpecker*	O	O	O	O	a,b
Red-bellied Woodpecker*	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	С	a,b
Yellow-bellied Sapsucker	U		U	U	a,b
Downy Woodpecker*	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	С	a,b
Hairy Woodpecker*	O	O	O	O	a,b
Northern Flicker*	$\mathbf{C}$	U	$\mathbf{C}$	С	a,b
Pileated Woodpecker*	U	U	U	U	a,b
Tyrant Flycatchers					,
Olive-sided Flycatcher	O		O		a,b
Eastern Wood-Pewee*	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$		a,b,c
Acadian Flycatcher*	$\mathbf{C}$	$\mathbf{C}$	U		b
Least Flycatcher	O		O		a,b,e
Eastern Phoebe*	U	O	U	U	a,b,e
Great Crested Flycatcher*	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$		a,b
Eastern Kingbird*	$\mathbf{C}$	$\mathbf{C}$	U		a,e
Scissor-tailed Flycatcher	U	U	U		e,f
Shrikes					,
Loggerhead Shrike	R	R	$\mathbf{R}$	R	$\mathbf{f}$
Vireos					
White-eyed Vireo*	$\mathbf{C}$	$\mathbf{C}$	U		b,e
Bell's Vireo*	O	R	O		é
Blue-headed Vireo	O		O	O	a,b
Yellow-throated Vireo*	U	U	U		a,b
Warbling Vireo*	Ū	U	U		a,b,e
Philadelphia Vireo	R		R		a,b
Red-eyed Vireo*	$\overline{\mathbf{C}}$	$\mathbf{C}$	Ü		a,b
Crows and Jays		_			-,,-
Blue Jay*	С	С	С	С	a,b,e
American Crow*	$\ddot{\mathrm{C}}$	$\ddot{\mathrm{C}}$	$\tilde{\mathrm{C}}$	$\tilde{\mathrm{C}}$	a,e
Fish Crow*	$\tilde{\mathrm{C}}$	$\check{\mathrm{C}}$	Č	Ŏ	b,c,d
		_	_	_	,-,-,-


Common Name		S	F	W	Hab.
Swallows					
Purple Martin*	U	U	U		$\mathbf{f}$
Tree Swallow	U		U		m
Northern Rough-winged Swallow	νO		O		$\mathbf{f}$
Bank Swallow	U		U		m
Cliff Swallow	O		O		$\mathbf{f}$
Barn Swallow	U		U		$\mathbf{f}$
Chickadees and Titmice					
Carolina Chickadee*	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$	С	a,b,e,f
Tufted Titmouse*	C	C	C	С	a,b,e,f
Nuthatches					, , ,
Red-breasted Nuthatch	O		0	O	a
White-breasted Nuthatch*	U	U	U	U	a,b
Creepers					,
Brown Creeper			U	U	a,b
Wrens					ŕ
Carolina Wren*	С	С	С	U	a,b,e
Bewick's Wren	O		O	O	a,b,e
House Wren	O		O		a,b,e
Winter Wren	U		U	U	b
Sedge Wren	R		R	R	d
Marsh Wren	R		R	R	d
Kinglets					
Golden-crowned Kinglet	U		U	U	a,b,e
Ruby-crowned Kinglet	$\mathbf{C}$		$\mathbf{C}$	С	a,b,e
Gnatcatchers					. ,
Blue-gray Gnatcatcher*	С	С	U		a,b,e



 $\begin{array}{l} Painted\ Bunting. \\ \text{Photography by Charles H. Heck.} \end{array}$ 

Common Name	Sp	S	F	W	Hab.
Thrushes					
Eastern Bluebird*	$\mathbf{C}$	$\mathbf{C}$	С	С	a,b,e
Veery	R		R		a,b
Gray-cheeked Thrush	R		R		a,b
Swainson's Thrush	$\mathbf{C}$		U		a,b
Hermit Thrush	$\mathbf{C}$		С	С	a,b
Wood Thrush*	U	U	U		a,b
American Robin*	С	С	U	С	a,b,f
Mockingbirds and Thrashers					, ,
Gray Catbird*	U	U	U	R	b,e
Northern Mockingbird*	0	O	O	0	e,f
Brown Thrasher*	С	С	С	U	a,b,e,f
Waxwings					, , ,
Cedar Waxwing	U	U		U	a,b
Starlings	_				
European Starling*	O	O	O	O	f
Wood-Warblers			_	_	
Blue-winged Warbler	R		R		b,c
Tennessee Warbler	Ü		Ö		a
Golden-winged Warbler	R		R		a,b
Orange-crowned Warbler	Ü		Ü	О	a,b,e
Nashville Warbler	Ŭ		Ü		a,b,e
Northern Parula*	$\tilde{\mathrm{C}}$	U	Ö		a,b
Yellow Warbler	ŏ	C	Ŏ		a,b,e
Chestnut-sided Warbler	ŏ		Ŏ		a,b,e
Magnolia Warbler	Ŏ		Ö		a,b,e
Yellow-rumped Warbler	Ŭ		Č	U	a,b,e
Black-throated Green Warble			Ŏ		a,b,e
Blackburnian Warbler	Ö		Ö		a,b,e
Yellow-throated Warbler*	$\ddot{\mathrm{C}}$	U	Ü		a,b,e
Pine Warbler*	$\tilde{\mathrm{C}}$	Ü	$\tilde{\mathrm{C}}$	С	a
Prairie Warbler*	Ö	Ö	Ö		a,b,e
Blackpoll Warbler	R	O	R		a,b,e
Cerulean Warbler	R	R	10		a,b,e
Black-and-white Warbler*	C	U	U		a,b,e
American Redstart*	Ü	Ö	Ü		a,b,e
Prothonotary Warbler*	C	Č	Ü		b,c
Worm-eating Warbler	R	O	R		b,c
Swainson's Warbler*	IJ	IJ	R		
Swamson's warbier Ovenbird	Ü	U	U		b,c b,c
Northern Waterthrush	0		0		b,c
Louisiana Waterthrush*	U	U	U		
Kentucky Warbler*	C	C	U		b,c
Mourning Warbler	R	U	R		b,c
Wourning warbier Common Yellowthroat*	U	U	U	R	a,b,e b,c,d
Common Tenowthroat Hooded Warbler*	C	C	C	11	b,c,a b,c
Wilson's Warbler	0	U	0		
Yellow-breasted Chat*	C	С	0		b,c
renow-preasted Onat	O	$\circ$	U		$_{ m e,f}$

Common Name	Sp	S	F	W	Hab.
Tanagers					
Summer Tanager*	С	С	$\mathbf{C}$		a,b
Scarlet Tanager	R		R		a,b
Towhees, Sparrows, and Allies					
Eastern Towhee	U		U	U	e,f
Spotted Towhee	O		O	O	e,f
Chipping Sparrow*	U	U	U	O	e,f
Field Sparrow*	U	U	U	U	e,f
Lark Sparrow*	R	R	R		e,f
Savannah Sparrow	O		R	$\mathbf{R}$	e,f
Le Conte's Ŝparrow	R		R	$\mathbf{R}$	a,e,f
Fox Sparrow	O		U	U	a,b,e,f
Song Šparrow	$\mathbf{C}$		$\mathbf{C}$	$\mathbf{C}$	a,b,e,f
Lincoln's Sparrow	U		U	O	a,b,e,f
Swamp Sparrow	U		U	U	b,d,e,f
White-thr. Sparrow	$\mathbf{C}$		$\mathbf{C}$	$\mathbf{C}$	a,b,e,f
White-cr. Sparrow	O		O	O	a,b,e,f
Dark-eyed Junco	$\mathbf{C}$		$\mathbf{C}$	$\mathbf{C}$	a,b,e,f
Cardinals, Grosbeaks, and Bunting					
Northern Cardinal*	С	С	$\mathbf{C}$	$\mathbf{C}$	a,b,e
Rose-breasted Grosbeak	O		O		a,b
Blue Grosbeak*	U	U	O		a,b,e
Indigo Bunting*	$\mathbf{C}$	$\mathbf{C}$	$\mathbf{C}$		a,b,e
Painted Bunting	R		$\mathbf{R}$		a,b,e
Blackbirds					
Red-winged Blackbird*	$\mathbf{C}$	U	$\mathbf{C}$	С	c,d,e,f
Eastern Meadowlark*	O	O	O	O	$\mathbf{f}$
Rusty Blackbird	O		O	O	b,c,d,f
Common Grackle*	$\mathbf{C}$	С	$\mathbf{C}$	O	b,d,e,f
Brown-hd. Cowbird*	U	U	U	U	a,d,e,f
Orchard Oriole*	U	U	O		a,b,e,f
Baltimore Oriole*	U	U	O		a,b,e
Finches					
Purple Finch	O		U	U	a,b,e,f
Pine Siskin	O		O	U	a,b,e,f
American Goldfinch*	U	U	U	U	a,b,e,f
House Finch	R	R	R	$\mathbf{R}$	a,b,e,f



 $Pine\ Warbler \\ {\it Photograph\ by\ Paul\ W.\ Bozzo/SDWI.net}$ 

## **Notes**

Date	Time
Observers	
Weather	
Species	
Comments	
Comments	

Little River National Wildlife Refuge P.O. Box 340 Broken Bow, Oklahoma 74728 580/584-6211 580/584-2034 Fax

Oklahoma State Relay Service 1 800/722-0353

U.S. Fish and Wildlife Service http://southwest.hws.gov

For information on the National Wildlife Refuge System 1 800/344-WILD

## August 2005

Yellow-rumped Warbler Photograph © by Charles H. Heck



